



---

ZyGEM Culture Collection Publication List

---

1. Aksenova H., Rainey F. A., Janssen P. H., Morgan H. W. and Zavarzin G. A. (1992) *Spirochaeta thermophila* sp. nov., an obligately anaerobic polysaccharolytic member of the genus Spirochaeta. *Int J Syst Bacteriol*, **42**, 175-177.
2. Albertson G. D. (1992) *PulA*, a thermostable pullulanase from an extreme thermophile *Caldocellum saccharolyticum*. PhD Thesis at Auckland University.
3. Albertson G. D., McHale R. H., Gibbs M. D. and Bergquist P. L. (1997) Cloning and sequence of a type I pullulanase from an extremely thermophilic anaerobic bacterium, *Caldicellulosiruptor saccharolyticus*. *Biochim Biophys Acta*, **1354**, 35-39.
4. Ashby M. K. and Bergquist, P. L. (1990) IS 1000, an insertion sequence from *Thermus*. *Plasmid*, **24**, 1-11.
5. Ayanarappan P. (1984) Amylases from two extremely thermophilic bacteria. MPhil Thesis at University of Waikato.
6. Bell P. J. L., Nevalainen H., Morgan H. W. and Bergquist P. L. (1999) Rapid cloning of thermoalkalophilic lipases from *Bacillus* spp. using PCR. *Biotechnol Lett*, **21**, 1003-1006.
7. Bell P. J., Sunna A., Gibbs M. D., Curach N. C., Nevalainen H. and Bergquist P. L. (2002) Prospecting for novel lipase genes using PCR. *Microbiology*, **148**, 2283-2291.
8. Bergquist P. L. and K. M. Borges K. M. *Thermus thermophilus* HB8. (1997) In: *Bacterial Genomes: Physical Structure and Analysis*, F. J. de Bruijn, J. R. Lupski and G. M. Weinstock, eds. p771 -772. Chapman and Hall, New York.
9. Bergquist P. L. and Morgan H. W. (1995) Biotechnological applications of *Thermus*. In Sharp, R., and Williams R. (ed), *The Genus Thermus*. Plenum Press, New York, pp. 207-227.
10. Bergquist P. L. and Morgan W. H. (1991) The molecular genetics and biotechnological applications of enzymes from extremely thermophilic eubacteria. In Herbert, R.H., and Sharp R. J. (ed), *Molecular Biology and Biotechnology of Extremophiles*. Blackie and Sons, Glasgow, pp. 44-75.
11. Bergquist P. L. and Saul D. J. Microbial Diversity - Its unexplored territory. *Microbiology Australia* 17: 22 - 24, 1996.
12. Bergquist P. L., Gibbs M. D., Morris D. D., Thompson D. R., Uhls A. M. and Daniel R. M. (2001) Hyperthermophilic xylanases. *Methods Enzymol*, **330**, 301-319.
13. Bergquist P. L., Gibbs M. D., Saul D. J., Morris D. D., Te'o V. S. J. and Walsh D. J. (1997) Isolation, expression and characterization of Family 10 and 11 xylanases from an extremely thermophilic bacterium, *Dictyoglomus thermophilum* Rt46B.1. TAPPI Press, Biological Sciences Symposium, 169 - 179.
14. Bergquist P. L., Gibbs M. D., Saul D. J., Reeves R. A., Morris D. D. and Te'o V. S. J. (1996) Families and functions of novel thermophilic hemicellulases in the facilitated bleaching of pulp. In Jeffries, T.J., and Viikari L. (ed), *Enzymes for Pulp and Paper Processing*. American Chemical Society Series 655, Washington D. C., pp. 85-100.
15. Bergquist P. L., Gibbs M. D., Saul D. J., Reeves R. A., Morris D. D. and Te'o V. S. J. (1998) Isolation and expression of genes for hemicellulases from extremely thermophilic culturable and unculturable bacteria. In Eriksson, K.-E., and Cavaco-Paulo A. (ed), *Enzyme Applications in Fiber Processing*. American Chemical Society Symposium Series, pp. 168-177.
16. Bergquist P. L., Gibbs M. D., Saul D. J., Te'o V. S. J., Dwivedi P. P., Morris D. (1993) Molecular genetics of thermophilic bacterial genes coding for enzymes involved in cellulose and hemicellulose degradation. In Shimada, K. et al (ed), *Genetics, Biochemistry and Ecology of Lignocellulose Degradation*. Uni Publishers Co Ltd, Tokyo, pp. 276-285.
17. Bergquist P. L., Gibbs M. D., Saul D. J., Te'o V. S. J., Reeves R. and Morris D. (1996) Hemicellulolytic enzymes from extremely thermophilic bacteria - application of molecular genetics to pulp bleaching. In Srebotnik, E., and Messner K. (ed), *Biotechnology in the Pulp and Paper Industry: Recent advances in applied and fundamental research*. Facultas-Univ.-Verl., Vienna, pp. 497-502.
18. Bergquist P. L., Love D. R., Croft J. E., Streiff M. B., Daniel R. M. and Morgan H. W. (1987) Genetics and potential biotechnological applications of thermophilic and extremely thermophilic micro-organisms. *Biotechnol Genet Eng Reviews*, **5**, 199-244.
19. Bergquist P. L., Nevalainen K. M. H., Te'o V. S. J., Gibbs M. D., and Curach N. C.. (2004) Recombinant enzymes from thermophilic microorganisms produced in fungal hosts. *Biochemical Society Transactions* **32**: 293-297.
20. Bergquist P. L., Saul D. J., Gibbs M. D., Morris D. D., Te'o V. S. J. and Morgan H. W. (1999) Molecular diversity of thermophilic cellulolytic and hemicellulolytic bacteria. *FEMS Microbiol Ecol*, **28**, 99-110.
21. Bergquist P. L., Te'o V. S. J., Gibbs M. D., Cziferszky A. C. E., de Faria F. P, Azevedo M. O., and Nevalainen K. M. H. (2002) Production of recombinant bleaching enzymes from thermophilic microorganisms in fungal hosts. 23rd. Symposium on Biotechnology for Fuels and Chemicals. *Appl. Biochem. Biotech.* **98**: 165-176,
22. Bergquist P. L., Te'o V. S. J., Gibbs M. D., Cziferszky A. C. E., de Faria F. P, Azevedo M. O., and Nevalainen K. M. H. (2002) Production of enzymes from thermophilic microorganisms in fungal hosts. *Extremophiles* **6**: 177-184.
23. Bergquist P. L., Te'o V. S. J., Gibbs M. D., Cziferszky A. C. E., de Faria F. P, Azevedo M. O., and Nevalainen K. M. H. (2002) Expression of thermophilic xylanases in fungal hosts. *Proc. 8th International Conference on Biotechnology in the Pulp and Paper Industry*, ed. L. Viikari and R. Lantto. *Prog. in Biotechnol.* **21**: 239-246.

24. Bergquist P. L., Te'o V. S. J., Gibbs M. D., Curach N. and Nevalainen K. M. H.. Recombinant bleaching enzymes from thermophiles expressed in fungal hosts. In: Applications of Enzymes to Lignocellulosics; ed S. D. Mansfield and J. N. Saddler. Amer. Chem. Soc. Symposium Series **855**: 435-445, 2003.
25. Bergquist P. L., Te'o V. S. J., Curach N. C., Gibbs M. D. and Nevalainen K. M. H.. (2004) Fungal Systems for the Expression of Recombinant Enzymes from Thermophilic Microorganisms. Mei Bioforum on Cellulases and Hemicellulases., ed. K. Ohmiya et al., pp 713-721. Uni Publishers Co. Ltd., Tokyo.
26. Bicho P. A., Clark T.A., Mackie K., Morgan H.W. and Daniel R.M. (1991) The characterisation of a thermostable endo- $\beta$ -1,4-mannanase cloned from "*Caldocellum saccharolyticum*". *Appl Microbiol Biotechnol*, **36**, 337-343.
27. Borges K. M. and Bergquist P. L. (1993) Physical map of the genome of *Thermus thermophilus* HB8. *Jour. Bacteriol.* **175**, 103-110.
28. Borges K., and Bergquist P. L. (1993) Pulse Field Gel Electrophoresis study of the genome of *Caldocellum saccharolyticum*. *Current Microbiology*, **27**, 15-20.
29. Bragger J. M. (1991) Extracellular enzymes from thermophilic Archaeobacteria. DPhil Thesis at University of Waikato.
30. Bragger J. M., Daniel, R. M., Coolbear, T. and H. W. Morgan. (1989) Very stable enzymes from extremely thermophilic archaeobacteria and eubacteria *Appl Microbiol Biotechnol*, **31**, 556-561.
31. Bryant K. J. (1986)  $\beta$ -galactosidases from thermophilic archeobacteria. MSc Thesis at University of Waikato.
32. Chamley L. W. (1987) Studies of a cloned thermophilic cellulase gene in *E. coli*. MSc Thesis at Auckland University.
33. Collett C. (2001) Proteases suitable for use in molecular biology. MPhil Thesis at University of Waikato.
34. Collin R. G., Morgan, H. W., Musgrave, D. R. and Daniel, R. M. (1988) Distribution of reverse gyrase in representative species of eubacteria and archaeobacteria. *FEMS Microbiol Lett*, **55**, 235-239.
35. Collingwood T. N. (1986) M (III) - Facilitated enzyme Recovery and Concentration. MSc Thesis at University of Waikato.
36. Collingwood T. N., Shanmugam M., Daniel R. M. and Langdon A. G. (1989) M(III)-facilitated recovery and concentration of enzymes from mesophilic and thermophilic organisms. *J Biochem Biophys Methods*, **19**, 281-286.
37. Coolbear T. M. C., Peek K., Morgan H. W. and Daniel R. M. (1992) Laboratory-scale investigations into the use of extremely thermophilic proteinases for cleaning ultrafiltration membranes fouled during whey processing. *J Membrane Sci*, **67**, 93-101.
38. Coolbear T., Daniel R. M. and Morgan H. W. (1992) The enzymes from extreme thermophiles: bacterial sources, thermostabilities and industrial relevance. *Adv Biochem Eng Biotechnol*, **45**, 57-98.
39. Coolbear T., Daniel R. M., Cowan D. A. and Morgan H. W. (1988) Proteases from extreme thermophiles. *Ann N Y Acad Sci*, **542**, 279-281.
40. Coolbear T., Eames C. W., Casey Y., Daniel R. M. and Morgan H. W. (1991) Screening of strains identified as extremely thermophilic bacilli for extracellular proteolytic activity and general properties of the proteinases from two of the isolates. *J Appl Bact.*
41. Cowan D. A. (1980) An extracellular protease from an extreme thermophile. DPhil Thesis at University of Waikato.
42. Cowan D. A. and Daniel R. M. (1982) Purification and some properties of an extracellular protease (caldolysin) from an extreme thermophile. *Biochim Biophys Acta*, **705**, 293-305.
43. Cowan D. A. and Daniel R. M. (1982) The properties of immobilised caldolysin, a thermostable protease from an extreme thermophile. *Biotechnol Bioeng*, **24**, 2053-2061.
44. Cowan D. A., and Daniel R. M. (1982) Caldolysin: a highly active protease from an extremely thermophilic bacterium. *Chem in NZ*, **46**, 122-125.
45. Cowan D. A., Daniel R. M. and Morgan H. W. (1985) Thermophilic proteases: Properties and potential applications. *Trends Biotechnol*, **3**, 68-72.
46. Cowan D. A., Daniel R. M. and Morgan H. W. (1987) The specific activities of mesophilic and thermophilic proteinases. *Int J Biochem*, **19**, 741-743.
47. Cowan D. A., Daniel R. M., Martin A. M. and Morgan H. W. (1984) Some properties of a  $\beta$ -galactosidase from an extremely thermophilic bacterium. *Biotechnol Bioeng*, **26**, 1141-1145.
48. Cowan D. A., Daniel, R. M. and Morgan, H. W. (1987) A comparison of extracellular serine proteases from four strains of *Thermus aquaticus*. *FEMS Microbiol Lett*, **43**, 155-159.
49. Cowan D. A., Smolenski K. A., Daniel R. M. and Morgan H. W. (1987) An extremely thermostable extracellular proteinase from a strain of the archaeobacterium *Desulfurococcus* growing at 88 degrees C. *Biochem J*, **247**, 121-133.
50. Croft J. E. (1986) Genetic studies of *Thermus*. PhD thesis at Auckland University.
51. J. E. Croft J. E., Love D. R. and Bergquist P. L.. (1987) Expression of leucine genes from an extremely thermophilic bacterium in *E. coli*. *Mol. Gen. Genet.* **210**, 490-497.
52. Curran M. A. (1982) L-asparaginase from *Thermus* T-351. MSc Thesis at University of Waikato.
53. Curran M. P., Daniel R. M., Guy G. R. and Morgan H. W. (1985) A specific L-asparaginase from *Thermus aquaticus*. *Arch Biochem Biophys*, **241**, 571-576.
54. Daniel R. M., Bragger J. M. and Morgan H. W. (1990) Enzymes from extreme environments. In Abramowicz, D.A. (ed), *Biocatalysis*. Van Nostrand Reinhold, New York.

55. Daniel R. M., Cowan D. A., Morgan H. W. and Curran M. P. (1982) A correlation between protein thermostability and resistance to proteolysis. *Biochem J*, **207**, 641-644.
56. Daniel R. M., Morgan H. W. and Donnison A. M. (1989) The industrial potential of extreme thermophiles. In Greenshields, R. (ed), *Resources and applications of biotechnology*. Macmillan, London, pp. 42-48
57. R. M. Daniel, H. S. Toogood and P. L. Bergquist (1996). Biochemistry and molecular genetics of proteases from thermophilic bacteria. Invited review. *Biotechnology and Genetic Engineering Reviews* 13: 51 - 100, 1996.
58. Donald K.A.G., Carle A., M.D. Gibbs M. D. and Bergquist P. L. (1994) Production of a bacterial thermophilic xylanase in *Saccharomyces cerevisiae*. *Appl. Microbiol. Biotechnol.* **42**, 309-312.
59. Day D. J, Saul D. J., Reeves R. and Bergquist P. L. A highly sensitive solid-phase assay for thermophilic DNA polymerases. *Anal. Biochem.*, **211**, 174-176, 1993.
60. Donnison A. M., Brockelsby C. M., Daniel R. M. and Morgan H. W. (1989) The degradation of lignocellulosics by extremely thermophilic micro-organisms. *Biotechnol Bioeng*, **33**, 1495-1499.
61. Donnison A. M., Gutteridge C. S., Norris J. R., Morgan H. W. and Daniel R. M. (1986) A preliminary grouping of New Zealand *Thermus* strains by pyrolysis mass spectrometry. *J Anal Appl Pyrolysis*, **9**, 281-295.
62. Duncan S. M. (2007) Fungal diversity and cellulolytic activity in the historic huts, Ross Island, Antarctica. PhD at University of Waikato.
63. Duncan S. M. F. R. L., Thwaites J. M., Held B. W., Arenz B. E., Jurgens J. A. and Blanchette R. A. (2006) Endoglucanase-producing fungi isolated from Cape Evans historic expedition hut on Ross Island, Antarctica. *Environ Microbiol*, **8**, 1212-1219.
64. Dunn R. (1998) Effect of Low Temperature on Thermophilic Enzymes. MSc Thesis at University of Waikato.
65. Dunn R. (2002) The activity and dynamics of enzymes. DPhil Thesis at University of Waikato.
66. Dunn R. V., Reat V., Finney J., Ferrand M., Smith J. C. and Daniel R. M. (2000) Enzyme activity and dynamics: xylanase activity in the absence of fast anharmonic dynamics. *Biochem J*, **346 Pt 2**, 355-358.
67. Dwivedi P. P., Gibbs M. D., Saul D. J. and Bergquist P. L.. (1996) Cloning, sequencing and over-expression in *Escherichia coli* of a xylanase gene, xynA, from the thermophilic bacterium *Caldicellulosiruptor* Rt8B.4. *Appl Microbiol Biotech*, **45**, 86-93.
68. Eames C. W. (1985) A neutral protease from a thermophilic *Bacillus*. MSc Thesis at University of Waikato.
69. Ferrari B. C, Power M. and Bergquist P. L. (2007) Closed-tube DNA extraction using a thermostable proteinase is highly sensitive, capable of single parasite detection. *Biotechnol. Letters* **29**: 1831-1837
70. Frangos T., Bullen D. Bergquist P. L. and Daniel R. D. (1999) Hemicellulolytic and cellulolytic functions of the domains of a b-mannanase cloned from *Caldicellulosiruptor saccharolyticus*. *Int. Jour. Biochem. Cell. Biol.* **31**: 853 – 859.
71. Freeman S. A., Peek K., Prescott M. and Daniel R. (1993) Characterization of a chelator-resistant proteinase from *Thermus* strain Rt4A2. *Biochem J*, **295 ( Pt 2)**, 463-469.
72. Freeman S.-A. (1992) The purification and characterisation of an extracellular chelator-resistant proteinase from a thermophilic bacterium. MSc Thesis at University of Waikato.
73. Gibbs M. (1995) Hemicellulases from extremely thermophilic microorganisms as wood pulp bleaching aids. PhD Thesis at Auckland University.
74. Gibbs M. D., and Bergquist P. L. (1996) Cloning, sequencing and expression of an alkaline-tolerant xylanase gene from the extreme thermophile *Dictyoglomus thermophilum* Rt46B.1: Potential for use as a kraft pulp pre-bleaching aid. In Srebotnik, E., and Messner K. (ed), *Biotechnology in the Pulp and Paper Industry: Recent advances in applied and fundamental research*. Facultas-Univ-Verl, Vienna, pp. 509-512.
75. Gibbs M. D., Elinder A., Reeves R. A. and Bergquist P. L. (1996) Sequencing, cloning and expression of a  $\beta$ -1,4 mannanase gene, manA, from the extremely thermophilic anaerobic bacterium, *Caldicellulosiruptor* Rt8.B4. *FEMS Microbiol Lett*, **141**, 37-43.
76. Gibbs M. D., Reeves R. A. and Bergquist P. L. (1995) Cloning, sequencing and expression of a xylanase gene from the extreme thermophile *Dictyoglomus* Rt46B.1 and the activity of the enzyme on fibre-bound substrate. *Appl Environ Microbiol*, **61**, 4403-4408
77. Gibbs M. D., Reeves R. A., Farrington G. K., Anderson P., Williams D. P. and Bergquist P. L. (2000) Multidomain and multifunctional glycosyl hydrolases from the extreme thermophile *Caldicellulosiruptor* isolate Tok7B.1. *Curr Microbiol*, **40**, 333-340.
78. Gibbs M. D., Saul D. J., Luthi E. and Bergquist P. L. (1992) The  $\beta$ -mannanase from "*Caldocellum saccharolyticum*" is part of a multidomain enzyme. *Appl Environ Microbiol*, **58**, 3864-3867.
79. Grayling R. A. (1990) Cellulase genes from the extreme thermophile *Caldocellum saccharolyticum*. MSc Thesis at Auckland University.
80. Griffiths K., Nayak S., Park K., Mandelman D., Modrell B., Lee J., Ng B., Gibbs M. D. and Bergquist P. L. (2007) New high fidelity polymerases from *Thermococcus* species. *Protein Expr Purif*, **52**, 19-30.
81. Guy G. R. (1980) Asparaginases from *Thermus* T-351. MSc Thesis at University of Waikato.
82. Guy G. R. and Daniel R. M. (1982) The purification and some properties of a stereospecific D-asparaginase from an extremely thermophilic bacterium, *Thermus aquaticus*. *Biochem J*, **203**, 787-790.
83. Hartog A. (1991) An alkaline phosphatase from *Thermus* strain 41A. MSc Thesis at University of Waikato.
84. Hartog A. T. and Daniel R. M. (1992) An alkaline phosphatase from *Thermus* sp strain Rt41A. *Int J Biochem*, **24**, 1657-1660.

85. Held B. W., Jurgens J. A., Arenz B. E., Duncan S. M., Farrell R. L. and Blanchette R. A. (2005) Environmental factors influencing microbial growth inside the Historic Expedition Huts of Ross Island, Antarctica. *Int Biodeterioration & Biodegradation*, **55**, 45-53.
86. Hickey C. W. (1978) Electron transport in an extreme thermophile. MSc Thesis at University of Waikato.
87. Hickey C. W. and Daniel R. M. (1979) The electron transport system of an extremely thermophilic bacterium. *J Gen Microbiol*, **114**, 195-200.
88. Hudson J. A., Daniel R. M. and Morgan H. W. (1988) Isolation of a strain of *Bacillus schlegelii* from geothermally heated Antarctic soil. *FEMS Microbiol Lett*, **51**, 57-60.
89. Hudson J. A., Morgan H. W. and Daniel R. M. (1986) A numerical classification of some *Thermus* isolates. *J Gen Microbiol*, **132**, 531-540.
90. Hudson J. A., Morgan H. W. and Daniel R. M. (1987) Numerical classification of some *Thermus* isolates from Icelandic hot springs. *System Appl Microbiol*, **9**, 218-223.
91. Hudson J. A., Morgan H. W. and Daniel R. M. (1987) *Thermus filiformis* sp. nov., a filamentous caldoactive bacterium. *Int J Syst Bacteriol*, **37**, 431-436.
92. Hudson J. A., Morgan H. W. and Daniel R. M. (1989) Numerical classification of *Thermus* isolates from globally distributed hot springs. *System Appl Microbiol*, **11**, 250-256.
93. Hudson J. A., Morgan H. W. and Daniel R. M. (1990) A survey of cellulolytic anaerobic thermophiles from hot springs. *System Appl Microbiol*, **13**, 72-76.
94. Hudson J. A., Morgan H. W. and Daniel R. M. (1990) Cellulolytic properties of an extremely thermophilic anaerobe. *Appl Microbiol Biotechnol*, **33**, 687-691.
95. Hudson J. A., Morgan H. W. and Daniel R. M. (1991) The cellulase activity of an extreme thermophile. *Appl Microbiol Biotechnol*, **35**, 270-273.
96. Hudson J. A., Morgan H. W. and Daniel R. M. (1984) Isolation and characterisation of a new caldoactive filamentous bacterium. *FEMS Microbiol Lett*, **22**, 149-153.
97. Hudson J. A., Schofield K. M., Morgan H. W. and Daniel R. M. (1989) *Thermonema lapsus* gen. nov., and sp. nov., a thermophilic gliding bacterium. *Int J Syst Bacteriol*, **39**, 485-487.
98. Hudson R. C. (1993) Glutamate dehydrogenase from isolate AN1. DPhil Thesis at University of Waikato.
99. Hudson R. C. and Daniel R. M. (1993) L-glutamate dehydrogenases: distribution, properties and mechanism. *Comp Biochem Physiol B*, **106**, 767-792.
100. Hudson R. C. and Daniel R. M. (1995) Steady state kinetics of the glutamate dehydrogenase from an archaeobacterial extreme thermophile, isolate AN1. *Biochim Biophys Acta*, **1250**, 60-68.
101. Hudson R. C., Ruttersmith L. D. and Daniel R. M. (1993) Glutamate dehydrogenase from the extremely thermophilic archaeobacterial isolate AN1. *Biochim Biophys Acta*, **1202**, 244-250.
102. Hudson R. C., Schofield L. R., Coolbear T., Daniel R. M. and Morgan H. W. (1991) Purification and properties of an aryl  $\beta$ -xylosidase from a cellulolytic extreme thermophile expressed in *Escherichia coli*. *Biochem J*, **273** ( Pt 3), 645-650.
103. Huser B. A., Patel B. K. C., Daniel R. M. and Morgan H. W. (1986) Isolation and characterisation of a novel extremely thermophilic, anaerobic, chemo-organotrophic eubacterium. *FEMS Microbiology Letters*, **37**, 121-127.
104. Hutchens L. M., Hunter L., Ehya N., Gibbs M. D., Bergquist P. L. and Hutton C. A. (2004) Highly enantioselective recombinant thermoalkalophilic lipases from *Geobacillus* and *Bacillus* sp. *Tetrahedron Asymmetry*, **15**, 2975-2980.
105. Jansen G. J. H. (1981) Membrane phase transitions in an extremely thermophilic bacterium. MSc Thesis at University of Waikato.
106. Jansen G., Daniel R.M., Nicholson B. and Morgan H.W. (1982) Membrane phase transitions and succinate oxidase activity in an extremely thermophilic bacterium. *Biochim Biophys Acta*, **685**, 191-195.
107. Janssen P. H. and Morgan H. W. (1992) Heterotrophic sulfur reduction by *Thermotoga* sp. strain FjSS3.B1. *FEMS Microbiol Lett*, **75**, 213-217.
108. Jones C. J., Morgan H. W. and Daniel R. M. (1988) Aspects of protease production by *Thermus* strain OK6 and other New Zealand isolates. *J Gen Microbiol*, **134**, 191-198.
109. Klages K. U. and Morgan H. W. (1994) Characterization of an extremely thermophilic sulphur-metabolizing archaeobacterium belonging to the Thermococcales. *Extremophiles*, **162**, 261-266.
110. Lee C. K., Daniel R. M., Shepherd C, Saul D., Cary S. C., Danson M. J., Eissenthal R. and Peterson M. E. (2007) Eurythermalism and the temperature dependence of enzyme activity. *FASEB J*. 21:1934-1941
111. Lim S. H. (1983) A protease from a *Thermus* spp. MSc Thesis at University of Waikato.
112. Lind D. (1988) A  $\beta$ -galactosidase from an anaerobic extreme thermophile. MSc Thesis at University of Waikato.
113. Lind D. L., Daniel R.M., Cowan D.A. and Morgan H.W. (1989) A thermostable  $\beta$ -galactosidase from a strain of the anaerobic thermophile *Thermoanaerobacter*. *Enzyme Microbiol Technology*, **11**, 180-186.
114. Love D. R. and Streiff M. B. (1987) Molecular Cloning of  $\beta$ -Glucosidase Gene from an Extremely Thermophilic Anaerobe in *E. coli* and *B. subtilis*. *BioTechnology*, **5**, 384 - 387.
115. Love D. R., Fisher R. and Bergquist P. L. (1988) Sequence structure and expression of a cloned  $\beta$ -glucosidase gene from an extreme thermophile. *Mol Gen Genet*, **213**, 84-92.
116. Lüthi E. and Bergquist P. L. (1990) A  $\beta$ -D-xylosidase from the thermophile *Caldocellum saccharolyticum* expressed in *Escherichia coli*. *FEMS Microbiol Lett*, **67**, 291-294.

117. Luthi E., Jasmat N. B. and Bergquist P. L. (1990) Overproduction of an acetylxylan esterase from the extreme thermophile "*Caldocellum saccharolyticum*" in *Escherichia coli*. *Appl Microbiol Biotechnol*, **34**, 214-219.
118. Luthi E., Jasmat N. B. and Bergquist P. L. (1990) Xylanase from the extremely thermophilic bacterium "*Caldocellum saccharolyticum*": overexpression of the gene in *Escherichia coli* and characterization of the gene product. *Appl Environ Microbiol*, **56**, 2677-2683.
119. Luthi E., Jasmat N. B., Grayling R. A., Love D. R. and Bergquist P. L. (1991) Cloning, sequence analysis, and expression in *Escherichia coli* of a gene coding for a  $\beta$ -mannanase from the extremely thermophilic bacterium "*Caldocellum saccharolyticum*". *Appl Environ Microbiol*, **57**, 694-700.
120. Luthi E., Love D. R., McAnulty J., Wallace C., Caughey P. A., Saul D. and Bergquist P. L. (1990) Cloning, sequence analysis, and expression of genes encoding xylan-degrading enzymes from the thermophile "*Caldocellum saccharolyticum*". *Appl Environ Microbiol*, **56**, 1017-1024.
121. Lüthi E., Reif K., Jasmat N. B. and Bergquist P. L. (1992) In vitro mutagenesis of a xylanase from the extreme thermophile *Caldocellum saccharolyticum*. *Appl Biotech Microbiol*, **36**, 503-506.
122. Maciver B., McHale R. H., Saul D. J. and Bergquist P. L. (1994) Cloning and sequencing of a serine proteinase gene from a thermophilic *Bacillus* species and its expression in *Escherichia coli*. *Appl Environ Microbiol*, **60**, 3981-3988.
123. McAnulty J. M. (1990) Cloned genes for xylan degradation from "*Caldocellum saccharolyticum*". MSc Thesis at Auckland University.
124. McCarthy A., Morris D. D., Bergquist P. L. and Baker E. N. (2000) Crystal structure of a highly thermostable b-1,4-xylanase from *Dictyoglomus thermophilum* Rt46B.1 at 1.8Å resolution. *Acta Crystallographica D56*: 1367 – 1375.
125. McHale R. H., Stapleton P. M and Bergquist P. L. (1991) A rapid method for the preparation of samples for PCR. *Biotechniques*, **10**, 20-22.
126. McHale R. H., Bergquist P. L. and Peek K. (1993) PRETAQ™: A Substitute for Proteinase K. *Focus*, **15**, 16-18.
127. More N. (1994) The effect of low temperatures on enzyme activity. MSc Thesis at University of Waikato.
128. Morgan H. W., Patel B. K. C. and Daniel R. M. (1985) Comparison of a *Thermoanaerobium* sp. from a New Zealand hot spring with *Thermoanaerobium brockii*. *FEMS Microbiol Lett*, **30**, 121-124.
129. Morgan H., and Bergquist P. (1996) Cellulases and hemicellulases of extreme thermophiles. In Asche, V. (ed), *Recent Advances in Microbiology IV*. Australian Society for Microbiology, Melbourne, pp. 83 - 118.
130. Morris D. D. (1994) Cloning and expression of *celC*, a multidomain cellulase/hemicellulase from the extremely thermophilic anaerobe *Caldocellum saccharolyticum*. MSc Thesis at Auckland University.
131. Morris D. D. (1997) Isolation of xylanase genes from extremely thermophilic bacteria as potential kraft pulp bleaching aids. PhD Thesis at Auckland University.
132. Morris D. D. and Bergquist P. L.. Comparative analysis of the family 10 and family 11 xylanases from *Dictyoglomus* spp. Rt46B.1 on pine and eucalypt kraft pulps. TAPPI
133. Morris D. D., Gibbs M. D. and Bergquist P. L. (1996) Cloning of a family G xylanase gene (*xynB*) from the extremely thermophilic bacterium *Dictyoglomus thermophilum* and activity of the gene product on kraft pulp. In Jeffries, T.J., and Viikari L. (ed), *Enzymes for Pulp and Paper Processing*. American Chemical Society Symposium Series, Washington D. C., pp. 101-115.
134. Morris D. D., Gibbs M. D., Ford M., Thomas J. and Bergquist P. L. (1999) Family 10 and 11 xylanase genes from *Caldicellulosiruptor* sp. strain Rt69B.1. *Extremophiles*, **3**, 103-111.
135. Morris D. D., Reeves R. A., Gibbs M. D., Saul D. J. and Bergquist P. L. (1995) Correction of the  $\beta$ -mannanase domain of the *celC* pseudogene from *Caldocellulosiruptor saccharolyticus* and activity of the gene product on kraft pulp. *Appl Environ Microbiol*, **61**, 2262-2269.
136. Moss D, Harbison S-A and Saul D. J (2003) An easily-automated, closed-tube forensic DNA extraction using a thermostable proteinase. *Int. J. Legal. Med* **117**:340-349
137. Munro G. H. K., Saul D. J., Reeves R., McHale R. and Bergquist P. L. (1995) Nucleotide sequence and expression in *Escherichia coli* of the gene encoding a thermophilic alkaline serine proteinase from *Thermus* sp. Rt41A. *Microbiology*, **141**, 1731-1738.
138. Neal T. L. (1987) A thermophile carboxymethylcellulase from an extreme thermophile cloned into *E. coli*. MSc Thesis at University of Waikato.
139. Ng B., Nayak S., Gibbs M. D., Lee J. and Bergquist P. L. (2007) Reverse transcriptases: intron-encoded proteins found in thermophilic bacteria. *Gene*, **393**, 137-144.
140. Patchett M. L. (1985)  $\beta$ -glucosidase from an extreme thermophile. MSc Thesis at University of Waikato.
141. Patchett M. L. (1988) Arginase from *Bacillus caldovelox*. PhD thesis at University of Waikato.
142. Patchett M. L., Daniel R. M. and Morgan H. W. (1987) Purification and properties of a stable  $\beta$ -glucosidase from an extremely thermophilic anaerobic bacterium. *Biochem J*, **243**, 779-787.
143. Patchett M. L., Daniel R. M. and Morgan H. W. (1991) Characterisation of arginase from the extreme thermophile '*Bacillus caldovelox*'. *Biochim Biophys Acta*, **1077**, 291-298.
144. Patchett M. L., Neal T. L., Schofield L. R., Strange R. C., Daniel R. M. and Morgan H. W. (1989) Heat treatment purification of thermostable cellulase and hemicellulase enzymes expressed in *E.coli*. *Enzyme Microbiol Technology*, **11**, 113-115.

145. Patel B. K. C., Hudson J. A., Morgan H. W. and Daniel R. M. (1988) Non-diauxic fermentation of acid hydrolysed pine by a strain of *Clostridium thermohydrosulfuricum* isolated from a New Zealand hot spring. *FEMS Microbiol Lett*, **56**, 285-288.
146. Patel B. K. C., Jasperse-Herst P. M., Morgan H. W. and Daniel R. M. (1986) Isolation of anaerobic, extremely thermophilic, sulphur metabolising archaeobacteria from New Zealand hot springs. *N.Z. Journal Marine and Freshwater Research*, **20**, 439-445.
147. Patel B. K. C., Morgan H. W. and Daniel R. M. (1985) *Fervidobacterium nodosum*, gen. nov. and spec. nov., a new chemoorganotrophic, caldoactive, anaerobic bacterium. *Arch Microbiol*, **141**, 63-69
148. Patel B. K. C., Morgan H. W. and Daniel R. M. (1986) Studies on some thermophilic glycolytic anaerobic bacteria from New Zealand hot springs. *System Appl Microbiol*, **8**, 128-136.
149. Patel B. K. C., Morgan H. W., Monk C., Littleworth H. and Daniel R. M. (1987) *Clostridium fervidus* sp. nov., a new chemoorganotrophic acetogenic thermophile. *Int J Syst Bacteriol*, **37**, 123-126.
150. Patel B. K. C., Morgan H. W., Wiegel J. and Daniel R. M. (1987) Isolation of an extremely thermophilic chemoorganotrophic anaerobe similar to *Dictyoglomus thermophilum* from New Zealand hot springs. *Arch Microbiol*, **147**, 21-24.
151. Patel B. K. C., Saul D. J., Reeves R. A., Williams L. C., Cavanagh J-E., Nichols P. D. and Bergquist P. L. (1994) Phylogeny and lipid composition of *Thermomonas lapaum*: a thermophilic gliding bacterium. *FEMS Microbiol. Lett.* **115**:313-318
152. Peek K., Veitch D. P., Prescott M., Daniel R. M., MacIver B. and Bergquist P. L. (1993) Some characteristics of a proteinase from a thermophilic *Bacillus* sp. expressed in *Escherichia coli*: comparison with the native enzyme and its processing in *E. coli* and in vitro. *Appl Environ Microbiol*, **59**, 1168-1175.
153. Piller K., Daniel R. M. and Petach H. H. (1996) Properties and stabilization of an extracellular alpha-glucosidase from the extremely thermophilic archaeobacteria *Thermococcus* strain AN1: enzyme activity at 130°C. *Biochim Biophys Acta*, **1292**, 197-205.
154. Plant A. R., Clemens R. M., Daniel R. M. and Morgan H. W. (1987) Purification and preliminary characterization of an extracellular pullulanase from *Thermoanaerobium* Tok6-B1. *Appl Microbiol Biotechnol*, **26**, 427-433.
155. Plant A. R., Clemens R. M., Morgan H. W. and Daniel R. M. (1987) Active-site- and substrate-specificity of *Thermoanaerobium* Tok6-B1 pullulanase. *Biochem J*, **246**, 537-541.
156. Plant A. R., Parratt S., Daniel R. M. and Morgan H. W. (1988) A cell-associated oligo-1,6-alpha-glucosidase from an extremely thermophilic anaerobic bacterium, *Thermoanaerobium* Tok6-B1. *Biochem J*, **255**, 865-868.
157. Plant A. R., Patel B. K. C., Morgan H. W. and Daniel R. M. (1987) Starch degradation by extremely thermophilic anaerobic bacteria. *System Appl Microbiol*, **9**, 158-162.
158. Prescott M., Peek K. and Daniel R. M. (1995) Characterisation of a thermostable pepstatin-insensitive acid proteinase from a *Bacillus* sp. *Int J Biochem Cell Biol*, **27**, 729-739.
159. Prescott M., Peek K., Veitch D. P. and Daniel R. M. (1993) The use of phenyl-Sepharose for the affinity purification of proteinases. *J Biochem Biophys Methods*, **26**, 51-60.
160. Rainey F. A. (1992) A study of diversity in anaerobic cellulolytic thermophilic bacteria. PhD at University of Waikato.
161. Rainey F. A., Donnison A. M., Janssen P. H., Saul D., Rodrigo A., Bergquist P. L., Daniel R. M., Stackebrandt E. and Morgan H. W. (1994) Description of *Caldicellulosiruptor saccharolyticus* gen. nov., sp. nov.: an obligately anaerobic, extremely thermophilic, cellulolytic bacterium. *FEMS Microbiol Lett*, **120**, 263-266.
162. Reat V., Finney J. L., Steer A., Roberts M. A., Smith J., Dunn R., Petersen M. and Daniel R. M. J. (2000) Cryosolvents useful for protein and enzyme studies below 100°C. *Biochem Biophys Methods*, **42**, 97-103.
163. Reeves R. A., Sunna A., Gibbs M. D. and Bergquist P. L. (1999) Sequencing and expression of a  $\beta$  -mannanase from the extreme thermophile *Dictyoglomus thermophilum* Rt46B.1 and characteristics of the recombinant enzyme. *Curr. Microbiol.* **39**: 351 – 357
164. Reeves R. A., Gibbs M. D., Morris D. D., Griffiths K. R., Saul D. J. and Bergquist P. L. (2000) Sequencing and expression of additional xylanase genes from the hyperthermophile *Thermotoga maritima* FjSS3B.1. *Appl Environ Microbiol*, **66**, 1532-1537.
165. Reynolds P. H., Sissons C. H., Daniel R. M. and Morgan H. W. (1986) Comparison of Cellulolytic Activities in *Clostridium thermocellum* and Three Thermophilic, Cellulolytic Anaerobes. *Appl Environ Microbiol*, **51**, 12-17.
166. Rodrigo A. G., Borges K. M. and Bergquist P. L. (1994) Pulse Field Gel electrophoresis of genomic digests of *Thermus* strains: implications for taxonomic and evolutionary studies. *Int J Syst Bacteriol*, **41**, 547-552.
167. Ruttersmith L. D. and Daniel R. M. (1991) Thermostable cellobiohydrolase from the thermophilic eubacterium *Thermotoga* sp. strain FjSS3-B.1. Purification and properties. *Biochem J*, **277 ( Pt 3)**, 887-890.
168. Ruttersmith L. D. and Daniel R. M. (1993) Thermostable  $\beta$ -glucosidase and  $\beta$ -xylosidase from *Thermotoga* sp. strain FjSS3-B.1. *Biochim Biophys Acta*, **1156**, 167-172.
169. Ruttersmith L. D., Daniel R. M. and Simpson H. D. (1992) Cellulolytic and Hemicellulolytic enzymes functional above 100°C. *Ann N Y Acad Sci*, **672**, 137-141.
170. Saravani G. A. (1985) Caldolase: an alkaline serine protease from *Thermus* strain Tok3. DPhil Thesis at University of Waikato.
171. Saul D. J., Reeves R. A., Morgan H. W. and Bergquist P. L. (1999) *Thermus* diversity and strain loss during enrichment. *FEMS Microbiol Ecol*, **30**, 157-162.

172. Saul D. J., Rodrigo A. G., Reeves R. A., Williams L. C., Borges K. M., Morgan H. W. and Bergquist P. L. (1993) Phylogeny of twenty *Thermus* isolates constructed from 16S rRNA gene sequence data. *Int J Syst Bacteriol*, **43**, 754-760.
173. Saul D. J., Williams L. C., Grayling R. A., Chamley L. W., Love D. R. and Bergquist P. L. (1990) *celB*, a gene coding for a bifunctional cellulase from the extreme thermophile "*Caldocellum saccharolyticum*". *Appl Environ Microbiol*, **56**, 3117-3124.
174. Saul D. J., Williams L. C., Love D. R., Chamley L. W. and Bergquist P. L. (1989) Nucleotide sequence of a gene from *Caldocellum saccharolyticum* encoding for exocellulase and *endocellulase activity*. *Nucleic Acids Res*, **17**, 439.
175. Saul D. J., Williams L. C., Reeves R. A., Gibbs M. D. and Bergquist P. L. (1995) Sequence and expression of a xylanase gene from the hyperthermophile *Thermotoga* sp. strain FjSS3-B.1 and characterization of the recombinant enzyme and its activity on kraft pulp. *Appl Environ Microbiol*, **61**, 4110-4113.
176. Saul D. J., Williams L. C., Reeves R. A., and Bergquist P. L. (1994) Secondary structure model for and unusual SSU rRNA from the extremely thermophilic bacterium strain AZ3 B.1. *Biochem. et Biophys. acta*. 1217:211-213.
177. Saul D. J., Williams L. C., Toogood H. S., Daniel R. M. and Bergquist P. L. (1996) Sequence of a gene encoding a highly thermostable neutral proteinase from *Bacillus* sp. strain EA1: Expression in *Escherichia coli* and characterization. *Biochimica Biophysica Acta* 1308: 74 – 80.
178. Schofield K. M., Hudson J. A., Morgan H. W. and Daniel R. M. (1987) A thermophilic gliding bacterium from New Zealand hot springs. *FEMS Microbiol Lett*, **40**, 169-172.
179. Schofield L. R. (1991) Cloned xylanolytic and cellulolytic enzymes from an extreme thermophile. DPhil Thesis at University of Waikato.
180. Schofield L. R. and Daniel R. M. (1993) Purification and properties of a  $\beta$ -1,4-xylanase from a *cellulolytic extreme thermophile expressed in Escherichia coli*. *Int J Biochem*, **25**, 609-617.
181. Schofield L. R., Neal T. L., Patchett M. L., Strange R. C., Daniel R. M. and Morgan H. W. (1988) The purification of cellulase and hemicellulase components from an extreme thermophile by the cloning of enzymes into *E. coli*. *Ann N Y Acad Sci*, **542**, 240-243.
182. Shandilya H., Flynn E. K., Astatke M., Shih P. J., Gerard G. F., Lee J. E., Griffiths K., Gibbs M. D. and Bergquist P. L. (2004) Thermophilic bacterial DNA polymerases with reverse transcriptase activity. *Extremophiles*, **8**, 243-251.
183. Sharrock K. (1985) Isolation of cellulolytic extreme thermophiles and partial cellulase characterisation. DPhil Thesis at University of Waikato.
184. Sharrock K., Sissons C., Daniel R. M. and Morgan H. W. (1983) Cellulases from an extreme *thermophile*. *Chem NZ* **47**, 62-64.
185. Simpson H. D., Coolbear T. and Daniel R. M. (1990) Purification of a thermostable DNA polymerase from a *Thermotoga* species. *Ann N Y Acad Sci*, **613**, 426-428.
186. Shepherd C., Harbison S-A, Saul D.J (2007) Extraction of DNA from Cigarette Butts using proteinase forensicGEM™. Submitted
187. Simpson H. D., Coolbear T., Vermue M. and Daniel R. M. (1990) Purification and some properties of a thermostable DNA polymerase from a *Thermotoga* species. *Biochem Cell Biol*, **68**, 1292-1296.
188. Simpson H. D., Haufler U. R. and Daniel R. M. (1991) An extremely thermostable xylanase from the thermophilic eubacterium *Thermotoga*. *Biochem J*, **277** (2), 413-417.
189. Sissons C. H., Sharrock K. R., Daniel R. M. and Morgan H. W. (1987) Isolation of Cellulolytic Anaerobic Extreme Thermophiles from New Zealand Thermal Sites. *Appl Environ Microbiol*, **53**, 832-838.
190. Strange R. C. (1989) A cloned xylosidase from an extreme thermophile. MSc Thesis at University of Waikato.
191. Sunna A., Gibbs M. D., Chin C. W., Nelson P. J. and Bergquist P. L. (2000) A novel  $\beta$ -1,4-mannanase gene from *Caldibacillus cellulovorans* and action of the recombinant enzyme on kraft pulp. *Appl. Environ. Microbiol*. 66: 664 – 670.
192. Sunna A., Gibbs M. D. and Bergquist P. L. (2000) The thermostabilizing domain of *Caldibacillus cellulovorans* xylanase *XynA* is a xylan binding domain. *Biochem. Jour.* 346: 583 – 586,
193. Sunna A., Gibbs M. D. and Bergquist P. L. (2000) Novel thermostable multidomain  $\beta$ -1,4-xylanase from *Caldibacillus cellulovorans* and effect of its thermostabilizing domain on enzyme activity. *Microbiology* 146: 2947 - 2955
194. Sunna A., Gibbs M. D. and Bergquist P. L. (2001) Evidence for a diverse family of structurally related carbohydrate-binding modules. *Biochem. Jour.* 356: 791 – 798.
195. Sunna A., Hunter L., Hutton C. A. and Bergquist P. L. (2002) Purification and biochemical characterization of a recombinant thermoalkalophilic lipase and assessment of its substrate enantioselectivity. *Enz Microb Technol*, **31**, 472-476.
196. Te'o V. S. J. (1992) *CelA*, a multidomain cellulase from the extreme thermophile, *Caldocellum saccharolyticum*. MSc Thesis at Auckland University.
197. Te'o V. S. J. (1996) Multiple xylanases from the extreme thermophile *Caldicellulosiruptor saccharolyticus*. PhD Thesis at Auckland University.
198. Te'o V. S. J., D. Saul and P.L. Bergquist. (1995) *celA*, another multidomain enzyme from *Caldocellum saccharolyticum*. *Appl. Microbiol. Biotechnol.* 43, 291-296.

199. Te'o V. S. J., A. E. Cziferszky, Bergquist P. L. and K .M. H. Nevalainen. (2000) Codon optimisation of the thermophile xylanase gene *xynB* from *Dictyoglomus thermophilum* for expression in *Trichoderma reesei*. FEMS Microbiol. Letts., 190: 13 – 19.
200. Toogood H. S. (1994) A pepstatin-insensitive aspartic protease from a thermophilic *Bacillus* sp. MSc Thesis at University of Waikato.
201. Toogood H. S., Prescott M. and Daniel R. M. (1995) A pepstatin-insensitive aspartic proteinase from a thermophilic *Bacillus* sp. Biochem J, **307 ( Pt 3)**, 783-789.
202. Turner S. J., Saul D. J., Rodrigo A. G. and Lewis G. D. (2002) A heteroduplex method for targeted sub-populations of bacterial communities. FEMS Microbiol Lett. 208: 9-13
203. Uhl A. M. and Daniel R. M. (1999) The first description of an archaeal hemicellulase: the xylanase from *Thermococcus zilligii* strain AN1. Extremophiles, **3**, 263-267.
204. Walsh D. J., and Bergquist P. L.. (1997) Expression and secretion of a thermostable xylanase in *Kluyveromyces lactis*. Appl Environ Microbiol, **63**, 3297-3300.
205. Walsh D. J., Gibbs M. D. and Bergquist P. L. (1998) Expression and secretion of bacterial thermophilic hemicellulases in *Kluyveromyces lactis*. In A., E.K.-E.a.C.-P. (ed), Enzyme Applications in Fiber Processing. American Chemical Society Symposium Series, Washington D. C., pp. 155-167.
206. Walsh K. A. J. (1981) A soluble NADH dehydrogenase from an extreme thermophile. MSc Thesis at University of Waikato.
207. Walsh K. A., Daniel R. M. and Morgan H. W. (1983) A soluble NADH dehydrogenase (NADH: ferricyanide oxidoreductase) from *Thermus aquaticus* strain T351. Biochem J, **209**, 427-433.
208. Wilson S. A. (1988) Thermostable proteases in meat tenderisation. MSc Thesis at University of Waikato.
209. Wright M. E. (1994) Purification of enzymes from *Thermus* strain R t 41A. MSc Thesis at University of Waikato.